



COLEY, EUBANK & COMPANY, P.C.
CERTIFIED PUBLIC ACCOUNTANTS

Report on the Firm's System of Quality Control

To the Owner,
David J. Ardoin, CPA, PC and
The Peer Review Committee,
Maryland Association of Certified Public Accountants

We have reviewed the system of quality control for the accounting and auditing practice of David J. Ardoin, CPA, PC (the "Firm") in effect for the year ended December 31, 2017. Our peer review was conducted in accordance with the Standards for Performing and Reporting on Peer Reviews (the "Standards") established by the Peer Review Board of the American Institute of Certified Public Accountants.

A summary of the nature, objectives, scope, and limitations of a system review, along with the procedures performed, as described in the Standards, is presented at www.aicpa.org/prsummary. The summary also includes an explanation of how engagements identified as not performed or reported in conformity with applicable professional standards, if any, are evaluated by a peer reviewer to determine a peer review rating.

Firm's Responsibility

The Firm is responsible for designing a system of quality control and complying with it to provide the Firm with reasonable assurance of performing and reporting in conformity with applicable professional standards in all material respects. The Firm is also responsible for evaluating actions to promptly remediate engagements deemed as not performed or reported in conformity with professional standards, when appropriate, and for remediating weaknesses in its system of quality control, if any.

Peer Reviewer's Responsibility

Our responsibility is to express an opinion on the design of the system of quality control and the Firm's compliance therewith based on our review.

Required Selections and Considerations

Engagements selected for review included engagements performed under *Government Auditing Standards*, including a compliance audit performed under the Single Audit Act.

As a part of our peer review, we considered reviews by regulatory entities as communicated by the Firm, if applicable, in determining the nature and extent of our procedures.

Report on the Firm's System of Quality Control, continued

Opinion

In our opinion, the system of quality control for the accounting and auditing practice of David J. Ardoin, CPA, PC, in effect for the year ended December 31, 2017, has been suitably designed and complied with to provide the Firm with reasonable assurance of performing and reporting in conformity with applicable professional standards in all material respects. Firms can receive a peer review rating of *pass*, *pass with deficiency(ies)*, or *fail*. David J. Ardoin, CPA, PC has received a peer review rating of *pass*.

Coley, Eubank & Company, P.C.

Lynchburg, Virginia
July 13, 2018

